

COOL SOLUTIONS

At A/S Vestfrost, we have decided to focus our business on what we do best – providing refrigeration and freezing solutions. That is all we do. And that is how it has always been, ever since A/S Vestfrost was founded in 1963. So we know everything there is to know about refrigeration and freezing and are therefore not afraid to call ourselves Experts in cooling and freezing Solutions.

With well over 15 million units sold worldwide, A/S Vestfrost is a very experienced manufacturer of refrigerators and freezers.

Our expertise in the field of refrigerators and freezers is unique. It is focused within four dedicated business areas, each structured to take maximum advantage of the valuable synergies with the other.

The four business segments are:

- Merchandising
- Horeca & Wine
- Biomedical
- OEM chest freezer

MERCHANDISING



Our Merchandising products ensure optimum exposure for your products, no matter whether they are sold at petrol stations, beach kiosks or anywhere else. We make good use of our in-depth knowledge of consumer behaviour when developing our products, thus maximising your sales.

HORECA & WINE



Our extensive range of Horeca & Wine products includes upright and chest refrigerators and freezers and elegant wine cabinets capable of meeting individual needs in the hotel and restaurant sector.

BIOMEDICAL



Our Biomedical products are tailor-made to meet the requirements of the pharmaceutical and hospital sectors among others, providing optimum refrigeration and freezing solutions for laboratories and the storage of medicine, vaccines, etc.

VESTFROST

Established: 1963

Ownership: Danish owned group

Business segments:

- Merchandising
- Horeca & Wine
- Biomedical
- OEM chest freezer

Certifications: ISO 9001/ISO 14001 and OHSAS 18001

Head office: Esbjerg, Denmark

Production: Denmark

Export share: >90% – to more than 90 countries

WE KNOW OUR CUSTOMERS' CUSTOMERS

In A/S Vestfrost we do not sell products. We sell solutions. We not only design and manufacture the best refrigerators and freezers on the market, providing optimum storage, but also create well thoughtout practical solutions. We measure our success on how well we know your customers' needs and on how we make use of such knowledge to your benefit. This is part of being your preferred supplier.

FROM IDEA TO FINISHED SOLUTION

We help turn exciting ideas into efficient products. Our product and innovation specialists develop solutions in close cooperation with customers and external designers.


Our specialists make good use of their comprehensive knowledge of consumer behaviour and habits, and of the various sales channels.

And no matter whether it is for a beach kiosk, an à la carte restaurant or a hypermarket, we have the expertise and products to fully meet the requirements.

Our products are manufactured in modern factories to high environmental standards, ensuring top-quality solutions capable of withstanding many years of constant use.

STRONG PARTNERSHIPS

Our continuous effort to ensure optimum solutions requires close partnerships with customers. Our expertise must be combined with our customers' knowledge of specific needs and challenges. We therefore work closely with customers to create the best possible solutions, even when this requires adapting existing products, or inspire customer-centered innovative development.



SOFT DRINKS INDUSTRY

Energy drinks manufacturers choose A/S Vestfrost as their preferred partner because of our global reach and ability to develop innovative solutions together with customers. A/S Vestfrost has, for example, designed customised versions of our classic can cooler in close cooperation with drinks manufacturers. And we deliver the coolers worldwide to logistics and service partners.



Visit us at

www.vestfrost.com

– and explore the Vestfrost universe



COOL BUSINESS COMPETENCES

With more than 40 years' experience in development and production of refrigeration and freezing solutions, we have gathered considerable expertise throughout the value chain. The strong synergies between our three core business segments and the OEM chest freezer production are of prime importance in this respect – it gives us the necessary inspiration to stay in the lead

when it comes to environmental protection and energy saving – and our joint partnership with external designers and innovation experts is also invaluable. Besides this, A/S Vestfrost gains from bulk purchasing on the global market, economies of scale in production and the provision of distribution and after-sales concepts on all markets. All of which greatly benefits our customers.

QUALITY IN EVERY DETAIL

At A/S Vestfrost, we take pride in optimising quality in relation to price. And this applies in every detail. Materials and components must be the best available at the price, and the quality must match the application. Production occurs in modern factories with efficient supply chains.



INNOVATION AND DESIGN

Innovation and product development are given top-priority at A/S Vestfrost and we have a special department dedicated to our efforts in these fields. In addition, A/S Vestfrost works closely with industrial designers to create a functional design with the well-known high aesthetic appeal of our products.



HIGH ENVIRONMENTAL STANDARDS

Environment protection is a key issue at A/S Vestfrost. We strive to be as energy efficient as possible in all links of the value chain – from production to delivered product – and to offer a future-proof solution. We make a virtue of recycling materials and components, and were among the first to offer CFC-free technologies and low-energy products. In short, we are world champions when it comes to environment-friendly, energy-saving solutions.



COOL BUSINESS SOLUTIONS



PURCHASING

Our product solutions can be acquired in several ways, and we are extremely flexible, offering either leasing or purchasing contracts.

WARRANTY

We are happy to provide a warranty for our products as we have complete faith in the materials and technologies with which they are made. Such warranties can cover the entire product or parts of it, and can also include an availability guarantee, giving customers assurance that the products they purchase will also be available in the future.

SERVICE

Even ideal solutions require service now and then when in constant use. This simply ensures that they work faultlessly for many years to come. A/S Vestfrost offers a wide range of service agreements. We have highly competent partners in most parts of the world, who know our products well and can respond rapidly should the need arise. They can merely replace parts or can provide technical assistance, service in connection with product replacement or total service, where A/S Vestfrost has overall responsibility for product operation.

SUPPORT AND TRAINING

Although our solutions may look simple, support or training is often required if they are to be used correctly. Perhaps there is a need for technical training or for assistance in providing precise documentation on product specifications. We can help in both situations, and can also provide general support regarding product use, e.g. how to replace brand advertisements.

STOCKS

We offer agreements in which new products are always in stock ready for delivery, a decisive factor when distribution networks are constantly being extended with new outlets. Such agreements can be made very flexible and are available for standard or customised products alike.

DISTRIBUTION

Distribution is not simply a question of transporting products from A to B. It also involves ensuring that customers receive the products at the best possible time, coordinated with filters for example. Distribution solutions are also required when products are to be replaced. We offer several distribution concepts and have close partnerships with several forwarding agents in most parts of the world.

DISPOSAL

Environmentally responsible disposal of worn-out products can be a comprehensive process. At A/S Vestfrost, we have the necessary organisation to ensure that products are disposed of in the most responsible way. It may be that some components can be recycled while others must be scrapped. We have the solutions to help customers dispose of unwanted products in an efficient and environmentally responsible fashion.

WINE SEGMENT

Wine cabinets from A/S Vestfrost are sold and distributed on a worldwide basis. The unique temperature control combined by features as low vibration compressor, UV-protected glass door, heating element and digital control ensure correct and optimum storage of your wines. The W design range with dual temperature zones makes it possible to store both red and white wines at serving temperatures.



BIOMEDICAL SEGMENT

The SolarChill group consisting of several well-known UN and environmental organisations chose A/S Vestfrost to be the industrial partner in developing a new unique solar vaccine cooler, driven by nature only. A/S Vestfrost has a thorough experience and know-how in temperature control, even under severe weather conditions. Crucial elements to have when it comes to storage of life-saving vaccines.



COOL SUPPORT

On this page, we'd like to introduce you to the team who will always ensure you the perfect solution. We look forward to hearing from you.



Thomas Jørgensen
Division Manager
TJ@vestfrostsolutions.com
+45 79 14 22 54



Lasse Bech
Key Account Manager
LAB@vestfrostsolutions.com
+45 79 14 22 76



Bjarne Nielsen
Key Account Manager
BJN@vestfrostsolutions.com
+45 79 14 22 48



Louise Christensen
Sales Assistant
LOC@vestfrostsolutions.com
+45 79 14 22 79



Ingrid Kroager Friis
Sales Assistant
IKF@vestfrostsolutions.com
+45 79 14 22 34



Pia Kjær
Sales Assistant
PIJ@vestfrostsolutions.com
+45 79 14 22 38



Jette Sindberg
Sales Assistant
JEJ@vestfrostsolutions.com
+45 79 14 22 74



Hanne Petersen
Sales Assistant
HAP@vestfrostsolutions.com
+45 79 14 22 42



Lone Petersen
Sales Assistant
LPE@vestfrostsolutions.com
+45 79 14 22 51

COOL COOLING SOLUTIONS



MERCHANDISING

Point Of Sale Coolers

These POS coolers are an ideal refrigeration solution, offering maximum brand exposure. They are quite unique thanks to their optimum cooling ability and easy product access.



Impulse Coolers

The can cooler, originally invented by A/S Vestfrost, combines efficient storage and high mobility with large branding surfaces and elegant design.



Display Coolers

These upright display coolers have an amazing capacity and provide unparalleled versatility in product storage. The robust metal shelves are adjustable, allowing maximum space utilisation for either cans or bottles. The coolers are also electronically controlled.



Display Freezers

Display freezers are the ideal solution for storing all kinds of frozen foods. The sliding glass lid of the chest freezer and the glass door of the frost-free upright provide a perfect view of the contents.



HORECA & WINE

Stainless Steel

Products with stainless steel doors are easier to clean. The stainless steel finish is also extremely attractive.



Wine Cabinets Multizone

Wine is a complex product, which demands careful treatment. A/S Vestfrost's elegant wine cabinets ensure that the wine is kept at the correct serving temperature and also provide an exceptionally attractive wine storage solution.



Wine Cabinets

A good wine experience depends not only on the actual wine, but very much also on the way the wine has been stored. Vestfrost Solutions VKG models are perfect for long time storage.



Chest Freezers

Chest freezers provide lots of room for food storage, either in the kitchen or in the restaurant itself. The chests are also available with sliding glass lids.



Chest Freezers/Coolers with glass lid

These freezers/coolers allow cans, bottles or food items to be stored in the restaurant itself. The ultra-hygienic layout is suitable for a wide range of applications in the hotel and restaurant sector.



Upright Coolers/Freezers

Upright coolers/freezers provide efficient storage of frozen foods thanks to such features as heated doors (which prevent condensation), automatic defrosting, door lock and much, much more.



BIOMEDICAL

Pharmacy Refrigerators

Pharmacy Refrigerators are used for storing medicine and are equipped with temperature monitoring and alarm systems.



DC Refrigerators/Freezers

These 12/24 Volt high insulated coolers and freezers are for connection to solar panels/battery in areas with limited or unstable power supply.



Vaccine Refrigerators/Freezers

Lifesaving vaccines must be stored in the safest possible way. A/S Vestfrost is one of the world's leading suppliers of vaccine coolers and freezers. All our products in this category comply with WHO/UNICEF standards.



Low Temperature Freezers

Temperature as low as -60°C can be maintained in these low temperature freezers. Thanks to their exceptional reliability, user-friendliness and ease of cleaning, these products are the perfect choice for laboratories and hospitals.



POINT OF SALE COOLERS



SERVICE-FRIENDLY LED LIGHT
The service-friendly LED light in the top frame make your products look even more refreshing and appealing.



WHEELS FOR EASY REPOSITIONING
The Point of Sale Coolers are fitted with wheels and can therefore be easily and effortlessly repositioned as required.



PRICE TAG WITH NIGHT LID
The elegant price tag puts a price on your product but that is not all. A built-in lid, hidden under the price tag, can be used as an energy saver when the store is closed.



BRANDING
All sides of the POS cooler can easily be branded and later easily be re-branded.



STIMULATING YOUR IMPULSE SALES

A/S Vestfrost has dedicated an entire range of high-quality coolers to develop your impulse sales. These well-designed products are not only cool-storage facilities but also highly flexible products in terms of usage and placement, and provide high product and brand exposure.

- Maximum product visibility and access
- Position and plug-in – ready to sell

WE SELL SALES

POS 072



Product specifications	POS 062 R	POS 072	POS 80
Type	Open top cooler	POS Cooler	POS Cooler
Note		Free standing	Open Front
Height, mm (inch)	86-101 (33.9-39.8)	940 (37.0)	1600 (63.1)
Footprint(WxD) mm (inch)	540 (21.3)	600x400 (23.6x15.7)	500x600 (19.7x23.7)
Temperature range, celcius	2 to 8	2 to 8	0 to 8*
Gross capacity, litres (cu. ft.)	67 (2.4)	80 (2.8)	83 (2.9)
Net capacity, litres (cu. ft.)	66 (2.3)	75 (2.7)	40 (1.4)
Capacity 0.5 PET bottles	60	72	80
Capacity 0.33 cans	110	125	160
Rated load, W	190	320	400
Net weight, kg	34	52	71
Qty. per 20' container	80	72	27
Qty. per 40' HC container	176	150	72

* Ambient temperature 25°C.

CAN COOLERS



1 EASY TO USE
Connect CC 48 to an electricity supply during the night, and the can cooler cools the products and charges the integrated ice-lining, so it is ready to be used without power in 12 hours.



2 ANTI-SCRATCH WRAPPING
The transparent plastic wrapping of the CC 48 and CC 68 can coolers has an anti-scratch surface, and the branding is easy to change.



3 ADJUSTABLE THERMOSTAT
The adjustable thermostat in the bottom of the can cooler makes it suitable for all kinds of drinks and climates.



4 NEW POP-UP SYSTEM
The optional pop-up system for the CC61 is practical as it ensures that the products are always available in the top of the cooler.



KEEPS THE PRODUCTS COLD AND YOUR BRAND VISIBLE

The can cooler, originally invented by A/S Vestfrost, combines efficient storage and high mobility with large branding surfaces and a distinguished design. An impulse attraction.

- The transparent self closing lid provides easy access
- The integrated fan ensures constant air circulation and rapid cooling
- The attractive silk-printed scratch-resistant surface makes your brand stand out
- Also available with easy changeable wrap

WE SELL SALES



Product specifications	CC 45	CC 48	CC 61	CC 68
Type	Can Cooler	Can Cooler	Can Cooler	Can Cooler
Note		Ice-lining	Fan Assisted	Fan Assisted
Height, mm (inch)	825 (32.5)	860 (33.9)	932 (36.7)	860 (33.9)
Diameter, mm (inch)	454 (17.9)	540 (21.3)	454 (17.9)	540 (21.3)
Temperature range, celcius	2 to 8	2 to 8	2 to 8	2 to 8
Gross capacity, litres (cu. ft.)	46 (1.6)	48 (1.7)	61 (2.2)	67 (2.4)
Net capacity, litres (cu. ft.)	45 (1.6)	43 (1.5)	60 (2.1)	66 (2.3)
Capacity 0.5 PET bottles	32	41	54	60
Capacity 0.33 cans	44	81	98	110
Energy consumption 24H (kWh) 600A	0.32	0.43	0.46	0.40
Rated load, W	100	150	150	180
Net weight, kg	24	34	29	30
Qty. per 20' container	80	80	80	80
Qty. per 40' HC container	176	176	176	176

CC 48

DISPLAY COOLERS



LED LIGHTNING
Special feeder shelves and vertical LED lightning are available as extras for the M200.

DIGITAL TEMPERATURE DISPLAY
The powerful cooling and ventilation system combined with an electronically controlled thermostat ensures correct temperatures. The temperature is always visible on a digital display.

LARGE BRAND SURFACE
A large brand surface is optional. Customised solutions are available for even greater exposure.

METAL PLATE SHELVES
The metal plate shelves ensure that bottles and cans stand more firmly and securely than on wire shelves. It is even possible to get your branding on the shelves.



M 200

BOTTLE COOLER OF THE FUTURE

The large display coolers in the M-series from A/S Vestfrost provides the best possible branding options, whilst also offering increased capacity. Extremely adaptable in use, the shelves can be moved to accommodate all types and sizes of cans and bottles. Other features include a strong, yet stylish and tactile door handle.

- Optional branded metal shelf plates ensure that bottles and cans stand firmly
- The powerful cooling system combined with an electronically controlled thermostat ensure correct temperature

WE SELL SALES

Display coolers also available with energy efficient LED light



Product specifications	FKG 274	FKG 311	FKG 371	FKG 410	FKG 412	M 200
Type	Display Chest Cooler	Display Cooler	Display Cooler	Display Cooler	SubZero	Display Cooler
Note	Sliding glass lid	Glass door				
Height, mm (inch)	905 (35.6)	1550 (61.0)	1850 (72.8)	2000 (78.7)	2000 (78.7)	2000 (78.7)
Footprint(WxD) mm (inch)	920x600 (36.2x23.6)	595x595 (23.4x23.4)				
Temperature range, celcius	4 to 12	3 to 10	3 to 10	3 to 10	-2.5 to +2.5	1 to 10
Gross capacity, litres (cu. ft.)	265 (9.4)	306 (10.8)	381 (13.5)	381 (13.5)	381 (13.5)	448 (15.8)
Net capacity, litres (cu. ft.)	210 (7.4)	281 (9.9)	351 (12.4)	351 (12.4)	351 (12.4)	379 (13.4)
Capacity 0.5 PET bottles	231	189	231	231	231	252
Capacity 0.33 cans	501	378	476	476	476	504
Energy consumption 24H (kWh) R134a / R600a	0.63 / 0.43	2.32 / 1.88	2.75 / 2.25	3.11 / 2.61	3.90 (R404a) / 2.61	2.95 / 1.95
Rated load, W	170	250	300	350	350	570
Net weight, kg	55	71	86	90	90	93
Qty. per 20' container	38	36	27	27	27	27
Qty. per 40' HC container	105	78	72	54	54	54

DISPLAY FREEZERS



DISPLAY FREEZERS AT THE POINT OF SALE

This display and storage cabinet in the IKG-series with sliding glass lid is ideal for ice-cream or any other kind of frozen goods. The cabinet is designed to withstand being opened many times each day while still maintaining the correct temperature.

- The display freezers are perfect for storage of ice-cream and frozen food
- The transparent sliding glass lid in the display freezers or the heated glass door stimulates impulse buying and optimizing your sales
- The NFG-model defrosts automatically at regular intervals

WE SELL SALES

IKG 275



DISPLAY FREEZER WITH MANY FEATURES
The NFG 309 has flexible shelves, light, heated glass door that secures visibility to the products without steaming up.

BRANDING
Your display freezer is an exceptional branding space with unique branding exposure.

WHEELS FOR EASY REPOSITIONING
The freezers are fitted with wheels and can therefore be easily and effortlessly repositioned as required.

SLIDING LID
The sliding lid ensures visibility and at the same time highly economical cooling capacity. It is possible to open the lid at both the left and right side.



Product specifications	IKG 205	IKG 275	IKG 405	IKG 505	NFG 309
Type	Display Chest Freezer	Display Chest Freezer	Display Chest Freezer	Display Chest Freezer	Display Vertical Freezer
Note	Sliding glass lid	Sliding glass lid	Sliding glass lid	Sliding glass lid	NoFrost
Height, mm (inch)	905 (35.6)	905 (35.6)	905 (35.6)	905 (35.6)	1850 (72.8)
Footprint(WxD) mm (inch)	720x600 (28.4x23.6)	920x600 (36.2x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	595x595 (23.4x23.4)
Temperature range, celcius	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-16 to -25
Gross capacity, litres (cu. ft.)	194 (6.9)	265 (9.4)	386 (13.6)	492 (17.4)	310 (11.0)
Net capacity, litres (cu. ft.)	152 (5.4)	210 (7.4)	307 (10.8)	394 (13.9)	282 (10.0)
Rated load, W	180	260	300	320	680
Net weight, kg	44	50	62	71	94
Qty. per 20' container	48	38	24	22	27
Qty. per 40' HC container	150	105	79	71	72

STAINLESS STEEL COOLERS/FREEZERS



CLEAR VISIBILITY
A lamp on the inside of the lid provides good visibility of stored items.



EXTERNAL TEMPERATURE ON CHEST FREEZER
The external digital thermometer provides a visual check on the cabinet temperature of the chest freezers.



EXTERNAL TEMPERATURE ON UPRIGHT PRODUCTS
The upright products have external digital temperature display as well. This feature makes it unnecessary to open the cooler or freezer to check the temperature.



STAINLESS STEEL WITH MANY FEATURES
The good lighting and transparent drawers and flaps maximise the visibility in the product.



STAINLESS STEEL FOR THE HOTEL, RESTAURANT AND CATERING SECTOR

The A/S Vestfrost stainless steel series of coolers and freezers offers solid, no-nonsense quality that just lasts and lasts. The robust chest freezers in stainless steel are perfect for many frozen items. They are available with counterbalanced lid, digital display, lock and inside lighting. These storage freezers have a wide field of applications within all food segments. They are especially suitable as working tables in big kitchens, bakeries, shops etc. and also perfect for back-room storage of ice-cream.

- The upright freezers and coolers can be placed side-by-side or stand alone
- The stainless steel coolers and freezers are a robust solution with perfect space utilisation

CFK 344 · CFKS 471



Product specifications	HF 396 STEEL	HF 506 STEEL	CFS 344 STEEL	CFKS 471 STEEL
Type	Chest Freezer	Chest Freezer	Upright Freezer	Upright Cooler
Note	Stainless Steel lid	Stainless Steel lid	Stainless Steel door	Stainless Steel door
Height, mm (inch)	850 (33.5)	850 (33.5)	1850 (72.8)	1850 (72.8)
Footprint(WxD) mm (inch)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	595x595 (23.4x23.4)	595x595 (23.4x23.4)
Temperature range, celcius	-17 to -24	-17 to -24	-16 to -25	3 to 10
Gross capacity, litres (cu. ft.)	373 (13.2)	476 (16.8)	344 (12.2)	361 (12.8)
Net capacity, litres (cu. ft.)	362 (12.8)	362 (12.8)	310 (11.0)	333 (11.8)
Energy consumption R600a	1.08	1.28	1.45	1.7
Rated load, W	145	190	140	300
Net weight, kg	62	72	27	27
Qty. per 20' container	24	22	72	72
Qty. per 40' HC container	54	48	27	27

WINE CABINETS MULTIZONE



EASY AND STRAIGHTFORWARD
The easily-adjusted thermostat provides precise and simple adjustment to the cabinet temperature.




DISPLAY SHELVES
Display shelves present your wine in an optimum way. Available as extras.



CHARCOAL FILTER
A charcoal filter cleanses the air, preventing bad odours from penetrating through the cork and affecting the wine.



INTEGRATED LOCK
An integrated lock in the W155 and W185 prevents unauthorized access to the wines.



GET YOUR WINE CELLAR ON ITS FEET

A/S Vestfrost wine cabinets are quality cabinets which live up to the requirements for ideal wine storage. For example, several of the cabinets are equipped with a fan, low-vibration compressor, temperature setting, frost protection and a built-in heating element – all to ensure that your wine enjoys optimal conditions.

- The lockable door provides safe storage in restaurants and bars
- The reversible door in smoked glass provides a flexible and elegant front
- Some models have multiple temperature zones for storage of different types of wine

W 185



Product specifications	W 38	W 32	W 45	W 155	W 185
Type	Wine Cabinet				
Note	Dual temperature	Dual temperature	Dual temperature	Electronic control	Electronic control
Height, mm (inch)	820-890(32.3-35.0)	830 (32.7)	820-890(32.3-35.0)	1550 (61.1)	1850 (72.8)
Footprint(WxD) mm (inch)	595x573 (23.4x22.6)	493x587 (19.4x23.1)	595x573 (23.4x22.6)	595x595 (23.4x23.4)	595x595 (23.4x23.4)
Temperature range, celcius	5 to 18	5 to 18	5 to 18	5 to 22	5 to 22
Net capacity, litres (cu. ft.)	140 (4.9)	106 (3.7)	145 (5.1)	298 (10.5)	368 (14.5)
No. Bottles Bordeaux (0.75 ltr)	38	32	45	146	191
Energy consumption 24H (kWh) / R600A	1.17	1.02	1.21	0.62	0.63
Rated load, W	110	100	125	170	170
Net weight, kg	57	44	50	75	87
Qty. per 20' container	48	88	48	36	27
Qty. per 40' HC container	162	225	162	78	72

WINE CABINETS



TOP LIGHT
The elegant top light on the CVKS models ensures good visibility to the wines.

WOODEN SHELVES
The height-adjustable wooden shelves ensure that the wine is not disturbed by vibrations during cabinet operation. The wine is thus left to mature in peace.

CHARCOAL FILTER
A charcoal filter cleanses the air, preventing bad odours from penetrating through the cork and affecting the wine.

TEMPERATURE READING
With a temperature range of 6-16°C, the cabinets are perfect for storing most types of wine. Shelf thermometers are available as extras.



GET YOUR WINE CELLAR ON ITS FEET

A/S Vestfrost wine cabinets are quality cabinets which live up to the requirements for ideal wine storage. For example, several of the cabinets are equipped with a fan, low-vibration compressor, temperature setting, frost protection and a built-in heating element – all to ensure that your wine enjoys optimal conditions.

- The lockable door provides safe storage in restaurants and bars
- The reversible door in smoked glass provides a flexible and elegant front
- Some models have multiple temperature zones for storage of different types of wine

VKG 571

VKG wine cabinets also available with energy efficient LED light



Product specifications	CC45	VKG 511	VKG 571	VKG 570	CVKS 671	CVKS 670
Type	Party Cooler	Wine Cabinet				
Note	Transparent lid	Glass door	Glass door	Two glass doors	Solid door	Two solid doors
Height, mm (inch)	825 (32.5)	1550 (61.0)	1850 (72.8)	1850 (72.8)	1850 (72.8)	1850 (72.8)
Footprint(WxD) mm (inch)	454 (17.9)	595x595 (23.4x23.4)				
Temperature range, celcius	2 to 8	6-16	6-16	6-16	6-16	6-16
Gross capacity, litres (cu. ft.)	46 (1.6)	324 (11.4)	377 (13.3)	377 (13.3)	361 (12.8)	358 (12.7)
Net capacity, litres (cu. ft.)	45 (1.6)	300 (10.6)	355 (12.5)	355 (12.5)	341 (12.0)	330 (11.7)
No. Bottles Bordeaux (0.75 ltr)	N/A	86	106	106	106	106
Energy consumption 24H (kWh) R134a / R600a	0.38 / 0.32	0.78 / 0.65	0.87 / 0.66	0.87 / 0.66	0.75 / 0.34	0.75 / 0.34
Rated load, W	100	160	160	160	160	160
Net weight, kg	24	66	75	78	62	64
Qty. per 20' container	80	36	27	27	27	27
Qty. per 40' HC container	176	78	72	72	72	72

CHEST FREEZERS



SAFE STORAGE
A safety lock prevents unauthorized access to the products.

COUNTERBALANCED LID
Counterbalanced load bearing lid ensures easy opening and closing.

EXTERNAL TEMPERATURE
The optional external digital thermometer provides a visual check on the cabinet temperature.

STACKABLE BASKETS
Optional spacious, stackable baskets allow organized storage of your food



CHEST FREEZERS FOR ANY NEEDS

The SB and HF series offers solid, no-nonsense quality that just lasts and lasts. The freezer is especially suitable for back-room storage of ice-cream and all kinds of frozen foods. The cabinet is designed to withstand being opened many times each day while still maintaining the correct temperature.

- The HF series is also available with counter balanced glass lid.
- The optimized SB models with 80mm insulation are all in energy class A+ which provides low running costs.

HF 396



Product specifications	SB 200	SB 250	SB 300	SB 400	HF 201	HF 240	HF 271	HF 301	HF 350	HF 396	HF 506
Type	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer
Note	Energy A+	Energy A+	Energy A+	Energy A+	Economy	Economy	Economy	Economy	Economy	Economy	Economy
Height mm (inch)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)
Footprint(WxD) mm (inch)	920x600 (36.2x23.6)	1125x600 (44.3x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	720x600 (28.3x23.6)	850x600 (33.5x23.6)	920x600 (36.2x23.6)	1020x600 (40.2x23.6)	1125x600 (44.3x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)
Temperature range, celcius	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24	-17 to -24
Gross capacity, litres (cu. ft.)	198 (7.0)	257 (9.1)	296 (10.4)	383 (13.5)	187 (6.6)	232 (8.2)	256 (9.0)	290 (10.2)	356 (12.6)	373 (13.2)	476 (16.8)
Net capacity, litres (cu. ft.)	189 (6.7)	247 (8.7)	284 (10.0)	368 (13.0)	181 (6.4)	225 (7.9)	248 (8.8)	282 (10.0)	317 (11.2)	362 (12.8)	464 (16.4)
Energy consumption 24H (kWh) R600a	0.59	0.67	0.72	0.84	0.72	0.81	0.86	0.92	0.99	1.08	1.28
Rated load, W	75	75	95	110	95	180	130	130	135	145	190
Net weight, kg	48	55	56	63	40	43	45	50	53	55	64
Qty. per 20' container	36	30	24	22	48	48	38	34	30	24	22
Qty. per 40' HC container	72	68	54	48	150	128	105	68	60	79	71

CHEST FREEZERS/COOLERS WITH GLASS LID



SAFE STORAGE
A safety lock prevents unauthorized access to the products.

WHEELS FOR EASY REPOSITIONING
The freezers are fitted with wheels and can therefore be easily and effortlessly repositioned as required.

EXTERNAL TEMPERATURE
The external digital thermometer provides a visual check on the cabinet temperature.

SLIDING LID
The sliding lid ensures visibility and at the same time highly economical cooling capacity. It is possible to open the lid at both the left and right side.



DISPLAY FREEZERS AT THE POINT OF SALE

This display and storage cabinet in the IKG-series with sliding glass lid is ideal for ice-cream or any other kind of frozen goods. The cabinet is designed to withstand being opened many times each day while still maintaining the correct temperature.

- The display freezers are perfect for storage of ice-cream and frozen food
- The transparent sliding glass lid in the display freezers or the heated glass door stimulates impulse buying and optimizing your sales



IKG 275



Product specifications	IKG 275	IKG 405	IKG 505	FKG 274	FKG 404
Type	Display Freezer	Display Freezer	Display Freezer	Display Cooler	Display Cooler
Note	Sliding glass lid	Sliding glass lid	Sliding glass lid	Sliding glass lid	Sliding glass lid
Height, mm (inch)	905 (35.6)	905 (35.6)	905 (35.6)	905 (35.6)	905 (35.6)
Footprint(WxD) mm (inch)	920x600 (36.2x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	920x600 (36.2x23.6)	1260x600 (49.6x23.6)
Temperature range, celcius	-17 to -24	-17 to -24	-17 to -24	4 to 12	4 to 12
Gross capacity, litres (cu. ft.)	265 (9.4)	386 (13.6)	492 (17.4)	265 (9.4)	386 (13.6)
Net capacity, litres (cu. ft.)	210 (7.4)	307 (10.8)	394 (13.9)	210 (7.4)	307 (10.8)
Energy consumption 24H (kWh) R134A	3.20	3.28	3.54	0.63	0.89
Rated load, W	260	300	320	170	260
Net weight, kg	55	68	71	55	68
Qty. per 20' container	38	24	22	38	24
Qty. per 40' HC container	105	79	71	105	79

WE SELL SALES

UPRIGHT COOLERS/FREEZERS



INTEGRATED LOCK
An integrated lock on some models prevents unauthorised access to products.

METAL PLATE SHELVES
The metal plate shelves on the M 200 ensure that bottles and cans stand more firmly and securely than on wire shelves. It is even possible to get your branding on the shelves.

GOOD VISIBILITY
The lightning gives you a clear view to the content of the cooler, and the flexible shelves allow you to make room for all your products.

EXTERNAL TEMPERATURE ON SOME PRODUCTS
External digital temperature display makes it unnecessary to open the cooler to check the temperature.



BOTTLE COOLER OF THE FUTURE

The large display coolers in the M-series from A/S Vestfrost provides increased capacity. Extremely adaptable in use, the shelves can be moved to accommodate alle types and sizes of cans and bottles. At the same time, the optional metal shelf plates ensure that products stand firmly and securely, and do not wobble or fall. Other features include a strong, yet stylish and tactile door handle.

- Optional metal shelf plates ensure that bottles and cans stand firmly
- The powerful cooling and ventilation system ensures correct temperature, even under difficult conditions

M 200

Upright coolers also available with energy efficient LED light



Product specifications	CFS 344	NFG 309	FKG 311	FKG 371	FKG 370	CFKS 471	FKG 410	M 200
Type	Upright Freezer	Upright Freezer	Upright Cooler					
Note	5 drawers / 3 flaps	Glass door / NoFrost	Glass door	Glass door	Glass door	Solid door	Glass door	Glass door
Height, mm (inch)	1850 (72.8)	1850 (72.8)	1550 (61.0)	1850 (72.8)	1850 (72.8)	1850 (72.8)	2000 (78.7)	2000 (78.7)
Footprint(WxD) mm (inch)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)	595x595 (23.4x23.4)
Temperature range, celcius	-16 to -25	-16 to -25	3 to 10	1to10				
Gross capacity, litres (cu. ft.)	344 (12.2)	310 (11.0)	306 (10.8)	381 (13.5)	377 (13.3)	361 (12.8)	381 (13.5)	448 (15.8)
Net capacity, litres (cu. ft.)	310 (11.0)	282 (10.0)	281 (9.9)	351 (12.4)	347 (12.3)	333 (11.8)	351 (12.4)	379 (13.4)
Capacity 0.5 PET bottles	-	-	189	231	231	189	231	252
Capacity 0.33 cans	-	-	378	476	476	378	476	504
Energy consumption 24H (kWh) R134a / R600a	1.81 / 1.45	11.0 (R404a)	2.32 / 1.88	2.75 / 2.25	2.75 / 2.25	1.70 / 1.35	3.11 / 2.61	2.95 / 1.95
Rated load, W	140	680	200	300	300	300	350	570
Net weight, kg	83	94	69	86	85	69	90	93
Qty. per 20' container	27	27	36	27	27	27	27	27
Qty. per 40' HC container	72	72	78	72	72	72	54	54



PHARMACY REFRIGERATORS



1 ALARM DISPLAY
The storage of medicine is a question of security. The clear digital alarm display makes a sound if the temperature changes.

2 INTEGRATED LOCK
An integrated lock prevents unauthorised access to products.

3 TOP LIGHT
The top light ensures maximum visibility to the products.

4 FLEXIBLE SHELVES
The AKG-shelves are flexible allowing you to make room for all your products.



AKG 377

RELIABILITY IS IMPORTANT

The AKG-series is developed for the storage of medicine in pharmacies, laboratories and hospitals. With extreme accuracy the AKG-refrigerators are reliable with features like temperature control etc.

- Safe storage of medicine for the medical industry
- Reliable features that supports the handling of the vital medicine

Extractible drawers with partitions for rational storage are available as extras



Product specifications	AKG 317	AKG 377
Type	Upright Refrigerator	Upright Refrigerator
Note	Glass door	Glass door
Height, mm (inch)	1550 (61.1)	1850 (72.8)
Footprint(WxD) mm (inch)	595x595 (23.4x23.4)	595x595 (23.4x23.4)
Gross capacity, litres (cu. ft.)	306 (10.8)	381 (13.5)
Net capacity, litres (cu. ft.)	214 (7.6)	269 (9.5)
Energy consumption 24H (kWh) R134A	3.30	3.81
Rated load, W	250	350
Net weight, kg	69	82
Qty. per 20' container	36	27
Qty. per 40' HC container	78	72



DC REFRIGERATORS/FREEZERS



RACK SYSTEMS
A/S Vestfrost energy efficient freezers and refrigerators with 100 mm insulation are suitable for rack systems. Freezer depth provides room for three racks.

ROBUST HANDLE
A robust handle with built-in lock prevents unauthorised access to the contents of the medicine cooler and freezer.

CLEAR VISIBILITY
A lamp on the inside of the lid provides good visibility of stored items.

EXTERNAL TEMPERATURE DISPLAY
External digital temperature display makes it unnecessary to open the SOE to check the temperature.



OFF-GRID POWER SYSTEMS

For off-grid power systems, it is vital to have reliable and energy efficient equipment that will last for years. Our 100 mm insulated appliances of prepainted galvanized steel with latest Danfoss 12/24 V BD compressors are a guarantee for that. The compressor is controlled by an electronic unit that includes protection against overload and destructive battery discharge.

- Easy to operate and maintain
- External temperature reading

12/24 V

SOE 215




12/24 V

Product specifications	SOE 115	SOE 215
Type	Refrigerator or Freezer	Refrigerator or Freezer
Note	12-24 V	12-24 V
Height, mm (inch)	850 (33.5)	850 (33.5)
Footprint(WxD) mm (inch)	720x600 (28.3x23.6)	1125x600 (44.3x23.6)
Temperature range, celcius Cooler/Freezer	0 to 10 / -10 to -18	0 to 10 / -10 to -18
Gross capacity, litres (cu. ft.)	111 (3.9)	213 (7.5)
Net capacity, litres (cu. ft.)	106 (3.74)	206 (7.3)
Net weight, kg	65	80
Qty. per 20' container	48	30
Qty. per 40' HC container	102	60



VACCINE REFRIGERATORS/FREEZERS




EXTERNAL DIGITAL DISPLAY
The external digital display facilitates temperature monitoring. The display is solar driven to ensure continued temperature readings.

ROBUST HANDLE
A robust handle with built-in lock prevents unauthorised access to the contents of the medicine cooler and freezer.

SPECIAL ICELINING FEATURE
The icelining and ballast boxes ensure temperature stability and extended hold-over time in case of power failure.

ICEPACK FREEZING
Separate compartment for icepack freezing simultaneously with vaccine storage in the main compartment.



VACCINE STORAGE POWERED BY NATURE

A/S Vestfrost is proud to introduce the Vaccine Refrigerator powered by nature – the Solar Chill. A new technology where the appliance is solely driven by the sun, directly from solar panels without use of inconvenient and expensive lead batteries for energy storage.

Life-saving vaccines must be stored under exacting conditions to ensure maximum efficacy. The icelined Vaccine Refrigerators/Freezers from A/S Vestfrost are all approved by WHO/UNICEF.

- Solar Chill is environmentally friendly, driven only by nature – no need to pay electricity or fuel
- The Vaccine Refrigerators/Freezers are extremely reliable and stable



Solar Chill

New larger size icelined refrigerator MK 404




Product specifications	Solar Chill MKS 044	MK 074	MK 144	MK 204	MK 304	MK 404	MF 144	MF 214	MF 314
Type	Solar chest Refrigerator/Freezer	Icelined Refrigerator	Vaccine/Icepack Freezer	Vaccine/Icepack Freezer	Vaccine/Icepack Freezer				
Height, mm (inch)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)	850 (33.5)
Footprint(WxD) mm (inch)	720x600 (28.3x23.6)	720x600 (28.3x23.6)	720x600 (28.3x23.6)	920x600 (36.2x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	720x600 (28.3x23.6)	1130x600 (44.5x23.6)	1560x600 (61.4x23.6)
Temperature range, celcius	2 to 8	2 to 8	2 to 8	2 to 8	2 to 8	2 to 8	-18 to -28	-18 to -28	-18 to -28
Gross capacity, litres (cu. ft.)	44	46 (1.6) / 5 (0.2)**	94 (3.3)	137 (4.8)	204 (7.2)	240 (8.5)	111 (3.9)	213 (7.5)	323 (11.4)
Net capacity, litres (cu. ft.)	33	20 (0.7)	45 (1.6)	63 (2.2)	108 (3.8)	135 (4.8)	72 (2.5)	192 (6.8)	264 (9.3)
Energy consumption 24H (kWh)	Solar	1.62**	0.47 / 1.07**	0.60 / 1.41**	0.80 / 1.67**	3.08***	1.58***	1.93***	2.71***
Hold-over time during power failure (HRS)	72****	32.5***	45 / 15**	46 / 10**	49 / 15**	23.5***	13***	15.5***	17.5***
Qty. per 20' container	48	48	48	38	24	22	48	30	22
Qty. per 40' HC container	150	150	150	105	79	48	150	100	71

* 46 litre refrigerator, 5 litre freezer.
** Measured at ambient temperature of 32°/43°C respectively.
*** Measured at an ambient temperature of 43°C.
**** Autonomy in ambient temperature of 32°C.



LOW TEMPERATURE FREEZERS



RACK SYSTEMS
A/S Vestfrost low-temperature freezers with 80 mm insulation are suitable for rack systems. Freezer depth provides room for three racks.




DIGITAL THERMOMETER
A digital thermometer facilitates temperature monitoring. An automatic alarm, activated by undesirable temperature rises, reduces the risk of damage to frozen items in the freezer.



ROBUST HANDLE
A robust handle with built-in lock prevents unauthorised access to the contents of the freezer.



WHEELS FOR EASY REPOSITIONING
The freezers are fitted with wheels and can therefore be easily and effortlessly repositioned as required.



RELIABLE LOW TEMPERATURES



A/S Vestfrost's low-temperature freezers make it possible to maintain temperatures as low as -60°C. Supreme stability, reliability, user friendliness and ease of cleaning make these freezers ideal for laboratories and hospitals.

- The products have clear digital thermometer and electronic thermostat for precise temperature control
- White, galvanised steel inner liner make a hygienic surface
- An acoustic alarm sounds if the temperature rises

VT 307



Product specifications	VT 147	VT 307	VT 407	VT 75	VT 147	VT 307	VT 407	VT 547
Type	Low Temperature Freezer							
Note	-45°C	-45°C	-45°C	-60°C	-60°C	-60°C	-60°C	-60°C
Height, mm (inch)	850 (33.5)	850 (33.5)	850 (33.5)	825 (32.5)	850 (33.5)	850 (33.5)	850 (33.5)	890 (35.0)
Footprint(WxD) mm (inch)	720x600 (28.3x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	552x648 (21.7x25.5)	720x600 (28.3x23.6)	1260x600 (49.6x23.6)	1560x600 (61.4x23.6)	1660x660 (65.4x26.0)
Temperature range, celcius	-30 to -45	-30 to -45	-30 to -45	-30 to -60				
Gross capacity, litres (cu. ft.)	140 (4.9)	296 (10.5)	383 (13.5)	75 (2.6)	140 (4.9)	296 (10.5)	383 (13.5)	495 (17.4)
Net capacity, litres (cu. ft.)	133 (4.7)	284 (10.0)	368 (13.0)	71 (2.5)	133 (4.7)	284 (10.0)	368 (13.0)	476 (16.8)
Rated load, W	360	360	360	220	300	360	400	458
Net weight, kg	55	76	88	48	59	80	80	107
Qty. per 20' container	48	24	22	60	46	24	22	18
Qty. per 40' HC container	92	54	44	120	92	54	44	36



A/S Vestfrost
Falkevej 12
6705 Esbjerg Ø
Denmark

Tel. +45 79 14 22 22
Fax +45 79 14 22 55
www.vestfrostsolutions.com
info@vestfrostsolutions.com

